MAXIMUM EXPOSURE, DEVELOPED TO HAVE A LOW ENVIRONMENTAL FOOTPRINT



Available in two depths and heights, read more on page 10



is the result of Arneg Nordics own product development for the Nordic market. A design that takes full consideration of the latest market trends. This versatile plug-in cabinet highlights the products through minimalistic design, a smart use of transparency and LED-lighting. Titan 2 creates a noticeable sales pressure for your items. This plug-in cabinet reduces negative environmental impact through smart solutions and local vicinity.


















TITAN 2 is extremely silent in operation and uses R290 natural gas for lower environmental impact and sustainability. The cabinet is highly sufficient and uses less energy than many predecessors.

TITAN 2 is ideal for a wide range of product categories, only your imagination can set the limits. With focus on the products it exposes a large volume of products with a small footprint.




TITAN 2



By owning the R&D process you can set demands on the end product. Such demands were a minimized energy consumption, a slim top, minimize the gap between the door/shelf, allow different lengths to be multiplexed together.

Accessories and options:

- 1 Wire dividers
- 2 Plexi dividers
- 3 S/S High gloss interior
- 4 Glass endwall, grey screening
- 5 Mirror end wall, available as black or grey outside screening. Mirror is optional
- 6 Adjustable base grid
- 7 Different options of RAL colors are available for the interior, the shelves have an adjustable angle.
- 8 Glass endwall, black screening
- 9 Rear kick plinth
- 10 When LED are moved from the bottom of the shelf to the pricerail the lightning improvs.




















TITAN 2



Titan 2 with transparent V23 doors



Accessories and options:


- 1 Wheels and adjustable feet
- 2 Titan 2 without frontstopp base for price holders
- 3 Titan 2 with frontstop base for price holders
- 4 S/S square bumper
- 5 Square bumper









Titan 2 with V16 doors















* Value before/after provide the height for H200/H220 concerning depth 770 mm.

Maintenance is easy. Lift the grille up and out to clean the condenser. Monthly cleaning contributes to good operating economy and extends a product's lifespan.

- A climate benefit for all of us!





Titan 2 D77		90	130	200	260
Length without ends	mm	837	1250	1875	2500
Length with ends	mm	877	1290	1915	2540
Height	mm	1990 2190	1990 2190	1990 2190	1990 2190
Depth	mm	770	770	770	770
Working Temperature 0°/+2° C, +2°/+4°C, +5°/+7°C		•	•	•	•
Energy label		B ↑	B ↑	BA	BATG

Titan 2 D65		90	130	200	260
Length without ends	mm	837	1250	1875	2500
Length with ends	mm	877	1290	1915	2540
Height	mm	1990	1990	1990	1990
Depth	mm	620	620	620	620
Working Temperature 0°/ +2° C, +2°/ +4°C, +5°/ +7°C		•	•	•	•
Energy label		B A G	B A G	BAT	B ↑ G

Information related to energy class (Ecodesign Regulation 2019/2024 and Energy Labelling Regulation 2019/2018) refers to specific product configurations. All configurations other than that presented in the website could require significantly different energy class information. For further details. either consult the European Product Database for Energy Labelling (EPREL) or contact our sales office.













