

# VELDEN LX


OPEN ISLANDS & SEMI-VERTICAL • REMOTE REFRIGERATION UNIT




21/07/2022 content modifiable without notice.

**VELDEN LX ISL-A-2 TN V LINEARE R**


Length without side panels	mm		<b>1250</b>	<b>1875</b>	<b>2500</b>	<b>3750</b>	
Temperature class		3 M1	•	•	•	•	
		3 M2	•	•	•	•	
Preservation temperature	°C	0/+2	•	•	•	•	
		+2/+4	•	•	•	•	
Horizontal display area*	m <sup>2</sup>	Depth	130	-	1.8	2.4	3.6
			140	-	2.06	2.75	4.13
			160	1.6	2.4	3.2	4.8
			180	-	2.81	3.75	5.63
			194	-	3.04	4.05	6.08
Energy class**	Depth	130 - 140	-	<b>A G F</b>	<b>A G F</b>	<b>A G F</b>	
		160	<b>A G F</b>	<b>A G F</b>	<b>A G F</b>	<b>A G F</b>	




**130**




**140**



**160**




**180**




**194**

**VELDEN LX ISL-A-2 TN V TESTATA R**

Overall length	mm		<b>1284</b>	<b>1419</b>	<b>1610</b>	<b>1832</b>	<b>1952</b>
Temperature class		3 M1	•	•	•	•	•
		3 M2	•	•	•	•	•
Preservation temperature	°C	0/+2	•	•	•	•	•
		+2/+4	•	•	•	•	•
Horizontal display area*	m <sup>2</sup>		0.77	0.86	0.99	1.13	1.21
Energy class**			<b>A G F</b>	<b>A G F</b>	<b>A G F</b>	<b>A G F</b>	<b>A G F</b>



**FRONTALE H150**



**130**


\*Value referred to illustrated configurations.

\*\*The energy class may vary depending on the product configuration.


**VELDEN LX SVT-A-2 TN V LINEARE R**

Length without side panels	mm	1250			1875				2500				3750						
		125	135	140	150	125	135	140	150	125	135	140	150	125	135	140	150		
Height	cm																		
Temperature class	3M1	• • • • • • • • • • • • • • • • • •																	
	3M2	• • • • • • • • • • • • • • • • • •																	
Preservation temperature	°C																		
	0/+2	• • • • • • • • • • • • • • • • • •																	
+2/+4	• • • • • • • • • • • • • • • • • •																		
Horizontal display area*	m <sup>2</sup>	Depth	130	-			2.58	2.93	3.86	-	3.86	3.9	5.15	-	5.15	5.85	7.73	-	7.73
			140	-			3.19		4.13		4.25		5.5		6.38		8.25		
			160	2.6	3.35			3.9		5.03		5.2		6.7		7.8		10.05	
			180	-			4.31	5.44	-	5.44	5.75	7.25	-	7.25	8.63	10.88	-	10.88	
			194	3.28	-			4.91		6.41		6.55		8.55		9.83		12.83	
Energy class**	Depth	130	-			A ↑ G E		A ↑ G E		- A ↑ G E		A ↑ G E		- A ↑ G E		A ↑ G E			
		140	-			A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E					
		160	A ↑ G E			A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E					
		180	-			A ↑ G E		- A ↑ G E		A ↑ G E		- A ↑ G E		A ↑ G E					
		194	A ↑ G E			-		A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E					


\*Value referred to illustrated configurations.  
 \*\*The energy class may vary depending on the product configuration.




**130 H125**




**140 H125**




**160 H125**




**180 H125**




**194 H125**




**130 H135**




**140 H135**




**160 H135**




**180 H135**




**194 H135**




**130 H140**




**140 H140**




**160 H140**




**180 H140**




**194 H140**




**130 H150**




**140 H150**



**160 H150**



**180 H150**




**194 H150**

**VELDEN LX SVT-A-2 TN V TESTATA R**

Overall length	mm	1284				1419				1610				1832			1952			
		125	135	140	150	125	135	140	150	125	135	140	150	125	135	150	125	135	140	150
Height	cm																			
Temperature class	3 M1	•				•				•				•			•			
	3 M2	•				•				•				•			•			
Preservation temperature	°C																			
	0/+2	•				•				•				•			•			
	+2/+4	•				•				•				•			•			
Horizontal display area*	m <sup>2</sup>	1.24	1.59			1.38	1.77			1.58	2.03			1.82	2.33		1.95	2.5		
Energy class**		A-G E				A-G E				A-G E				A-G E			A-G E			

\*Value referred to illustrated configurations.

\*\*The energy class may vary depending on the product configuration.



**FRONTALE H150**

**86 H150**

**86 H140**

**86 H135**

**86 H125**